

Water-based Inkjet Printable Topcoated Polyester Film

Preliminary Information*

Item number:

K03623NXT

Suitable for printing with:

- Desktop & industrial aqueous color inkjet printers

Description:

Translucent 36 micron polyester face film with a proprietary ink receptive topcoat developed for water-based inkjet printing.

Product Specifications: *Product is under development and values are based on preliminary results.

PROPERTY	TEST METHOD	K03623NXT	
Appearance	-	Clear Matte Translucent	
Thickness	-	53 ± 3	[micron]
Area Yield	-	15	[m ² /kg]
Tensile Strength	ASTM D-882	MD 24	TD 24 [Kgf/mm ²]
Shrinkage	After 5 minutes at 150 °C	MD 1.5	TD 0.5 [%]



RoHS
compliant



Halogen free

Water-based Inkjet Printable Topcoated Polyester Film

*Preliminary Information**

DS No=2103/1, Page 2 of 2, June 2018

DISCLAIMER - All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.europe.averydennison.com>

©2018 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its content, product names and codes are owned by Avery Dennison Corporation and/or its Affiliates. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part for any purposes other than marketing by Avery Dennison.

Avery Dennison Israel Ltd

Kibbutz Hanita, 2288500 Israel

T: +972 4 985 9919

E: hanita.coatings@eu.averydennison.com

www.hanita.averydennison.com

